

Electrical, Cable Tray and Lighting Materials,EX Materials,HSE and OHL materials

Sl. No.	Description
1	Ladder tray,600mm Wide, 100mm Side height, 2.0mm Thick
2	Ladder tray,450mm Wide, 100mm Side height, 2.0mm Thick
3	Metal Cable Tie 400mm SS
4	Perforated tray, 600mm Wide,100mm Side height, 2.0mm Thick
5	Cable tray, GI, 400MM width, Heavy duty, 1.5mm thick
6	Cable tray, GI, 500MM width, Heavy duty, 1.5mm thick
7	Cable Tray, GI, 800mm width, Heavy duty, 1.5mm thick
8	32 L Sq.mm Double Compression Brass Electrical Gland
9	50 mmsq Cable connector for street light
10	20 Sq.mm Double Compression Brass Electrical Gland
11	25 Sq.mm Double Compression Brass Electrical Gland
12	40 L Sq.mm Double Compression Brass Electrical Gland
13	Flexible pipe
14	Suniso Refrigeration Oil 3GS 3 CAN for compressor lubrication
15	AC Contactor, 400V, 12A
16	AC Contactor, 400V, 18A
17	AC Contactor, 230V, 12A
18	AC Contactor, 230V, 9A
19	AC Contactor, 400V, 25A
20	AC Contactor, 230V, 18A
21	AC Contactor, 400V, 32A
22	AC Contactor, 230V, 32A
23	AC Contactor, 230V, 25A
24	AC Contactor, 400V, 9A
25	25 L Sq.mm Single Compression Brass Electrical Gland
26	25 Sq.mm Single Compression Brass Electrical Gland
27	20 L Sq.mm Single Compression Brass Electrical Gland
28	MCB, 10A, SP, 6KA TRIP C
29	MCB, 10A, SP, 10KA TRIP C
30	MCB, 16A, SP,10KA TRIP C
31	MCB, 16A, SP, 6KA TRIP C
32	CIRCUIT BREAKER,L&T,CM97894OOC2,3P,20A
33	MCB, 20A, SP, 10KA TRIP C
34	MCB, 20A, 2P, 10KA TRIP C
35	MCB, 20A, SP, 6KA TRIP C
36	MCB, 10A, 2P, 10KA TRIP C
37	MCB, 20A, 3P, 10KA TRIP C
38	MCB, 32A, 3P, 10KA TRIP C
39	MCB, 32A, SP, 6KA TRIP C
40	MCB, 32A, 2P, 10KA TRIP C
41	MCB, 40A, SP, 10KA TRIP C
42	MCB, 40A, 2P, 10KA TRIP C
43	MCB, 40A, TP, 10KA TRIP C

44	MCB, 6A, SP, 10KA TRIP C
45	MCB, 63A, 3P, 10KA TRIP C
46	MCB, 63A, 3P, 6KA TRIP C
47	MCB, 63A, SP, 10KA TRIP C
48	MCB, 6A, SP, 6KA TRIP C
49	20mm Copper Clad Steel Earth ROD
50	Current Transformer
51	Distribution Board 12 way, SPN
52	45A DP Switch With Neon Indicator
53	Exhaust Fan 20" Heavy duty
54	200A MCCB Incomer DB-FB200DB-FD-F-RYB
55	200A MCCB Incomer DB-FB200DB-FE-F-RYB
56	Fire Alarm Wire
57	10 A 3 way H type plastic terminal connector
58	Isolator 35A
59	Iginator 35-400W
60	Metal halid lamp
61	Metal halid lamp
62	MCCB, 100A, TP, 36kA
63	MCCB, 125A, TP, 25kA
64	MCCB, 160A, TP, 36kA
65	MCCB, 200A, TP, 36kA
66	MCCB, 250A, TP, 36kA
67	MCCB, 32A, TP, 25kA
68	MCCB, 125A, TP, 36kA
69	MCCB, 400A, TP, 50kA
70	MCCB, 40A, TP, 25kA
71	MCCB, 630A, 4P, 50kA
72	MCCB, 63A, TP, 36kA
73	MCCB, 800A, TP, 50kA
74	MCCB, 800A, 4P, 50kA
75	MCCB, 630A, TP, 50kA
76	Electric Cable tile
77	Iginator 1000W
78	Emergency Light
79	Iginator 35-1000W
80	Mercury Lamp
81	Sodium Light
82	Cable Lug 2 Hole(Jumber Lug)-HU NO-93
83	Insulated Hand Gloves
84	Wellding cable with clamp 10Mtr
85	Wash basin Tap
86	Transmission Oil,Part#ATFDEXII-210,Make:Servo
87	Tube Fitting
88	Tube Fitting 4'
89	25mm dia PVC Female adapter,Make:Hotace
90	PVC Female Adaptor- 25mm Black

91	K-TEK LEVEL TRANSMITTER
92	70mmsq One way Through clamp
93	Breakglass Callpoint,Make:Cooper MEDC,UK
94	CABLE GLAND, PVC, 20 MM
95	Copper Lug 95mm ² x 12mm
96	70/12 Cable Lug
97	25mm dia PVC Insulated GI Flexible Conduit,25mtr/roll
98	25mm dia PVC Coupler,Make:Hotace
99	Coupling
100	Coupling
101	Flat Washer GI, M10
102	Ball & Socket set
103	2.5 Pin type lug
104	Cable Ties 3.6mm x 300mm Black
105	Cutting Wheel
106	PVC Elbow 25mm black
107	PVC Holder - 20mm black
108	Cable Socket
109	pvc tiles
110	Terratech T-pro 500E
111	Single lever chrome plated wash basin mixer including pop up waste
112	10 A Terminal Block heavy duty
113	110mm GI Clamp
114	100A Flush Mount DB (16Way) FB 1000B-16-DN
115	20 BRASS GLAND
116	20A DP Switch with neon indicator for split AC
117	20S BRASS GLAND
118	33KV-16KA AUTO RECLOSER OSM38-16-800-300.
119	6mm connector strip
120	415 Volt DB
121	Additional NC Contact block
122	Additional NO Contact block
123	Single Compression Brass Gland with PVC Shroud -32L
124	32 Sq.mm Single Compression Brass Electrical Gland
125	CONTACTOR,L&T,CS94137BOOO,MNX110,240Vac
126	CONTACTOR,L&T,CS94137BOOO,MNX110,240Vac contact 2 NO + 2 NC
127	CONTACTOR,L&T,ST19002BOOO,MNX-70,70A
128	M40 Brass Cable Gland with shroud
129	CONTACTOR,L&T,CS94100BOOO,MNX-18,18A
130	150mm PVC Cable Ties
131	Damper Limit Switch
132	Dummy Panel
133	Earth enhancing compound, chemical for earth pit installation, Make: TEREK +
134	Emergency Light (portable type)
135	EXIT Light (240V AC Lamp with Battery Pack)
136	FUSE,L&T,SPE0101113408,6A
137	FUSE,L&T,SF94232OOOOS,200A

138	FUSE,L&T,ST30760,A3,50A
139	FUSE,HF,L&T,SF901420000,415V,32A,80kA
140	2A Fused Connection Unit
141	Flourescent GRP Lighting Fixture type AVC
142	Helogen Bulb
143	1CX300 sq mm indoor termination kit
144	Industrial Type Socket (Y Type) Mail 16 AMP
145	Industrial Type Socket (Y Type) Female 16 AMP
146	1CX300 sq mm outdoor termination kit
147	PVC insulated 4.0sqmm ring type lug - 4mm dia
148	PVC through four way - 25mm black
149	Junction 4 Way
150	25mm dia PVC Junction Box Cover,Round Type
151	SWITCH FUSE UNIT,L&T,SK96903,3P,32A
152	Socket Outlet, 240V, Make: Ceag, Model: 5114306R0002
153	unistrut channel springnut
154	Tube Light Frame 4'- 2tube Set
155	13A Twin Switch Socket outlet
156	PVC Coupler 20mm Heavy guage
157	Y Way Socket 110
158	25m Extension Cable Lead/Reel 4 Way Socket Extension 13A 240v
159	FKW6 STAINLESS STEEL SEALING KEY
160	Nitto No. 15, Self Vulcanizing Tape
161	PVC through three way-25mm black
162	19mm Yellow PVC Tape (Box)
163	M20 Square Washer
164	Steel Rollers
165	Washer EN ISO 7089-8-200-Tzn
166	M20 Lock Nut, GI
167	Hexagon Nut M10-A4-35
168	M10 Spring Washer, GI
169	25mm dia, GI Junction box - 3 way
170	GI Junction Box 3 Way
171	GI Junction Box 2 Way
172	25mm dia, 80/60mm deep, PVC Junction box-One way,Make:Hotace
173	25mm dia, 80/60mm deep, PVC Junction box - 2 way Straight
174	PVC Through two way - 25mm black
175	25mm dia, 80/60mm deep, PVC Junction box - 3 way,Make:Hotace
176	FSK20 ST/STL KEY TRAPPED ALL CONTACTS CLOSED EEXD RATED
177	Emergency Exit Light 8w, Non Maintained
178	Emergency Light Without Rod
179	Exit Light
180	GI POLES
181	0.5 sq mm Bootlace Lug,Make:Aftec,UK
182	0.5 sq mm Bootlace Lug,Make:Aftec,UK
183	Bolt / Nut/ Washer (6mm X 30mm) GI, (Mushroom Head, 'GI'
184	Extension rod for torque wrench 3/4 inch.

185	Limit Switch - XCK-P, Make Telemecanique, 240Volts
186	Spring Nut for Cable Tray work 6mm 'GI'
187	Jumper Lug 4 Bolt Type Make - PLP
188	OHL Fault Indicators, FLA3.1 of EMG Germany
189	M16 x 400 Sq.mm Bi-Metalic Cable Lug
190	CABLE COVER TILES
191	CABLE COVER TILES
192	Dead End with Out Jumper Lug
193	Jumper Lug - Old
194	M20 Nut & Double Washer
195	Saddle for Fixing 100mm PVC Pipe
196	Saddle for Fixing 3CX70sqmm XLPE Cbale HU-729
197	Saddle for Fixing 3Cx70sqmm XLPE Cable HU-731
198	Saddle for Fixing 1Cx400sqmm XLPE Cable HU-731
199	Saddle for Fixing 3Cx70sqmm XLPE Cable HU-733
200	SEHDF 30.1/5,1x50 Outdoor Termination Kit with Cable Break O
201	25mm dia GI Conduit Pipe, 3m length
202	25mm dia GI Conduit Pipe, 3m length
203	25mm Steel Pipe
204	Baseplate Grounding Busbar
205	Cable Tie PVC, 300mm Length
206	Steel Elbow 25mm
207	Hammer ball peen 1/2"
208	Hose with new fitting 1/4" x 15 mtr
209	Printable sleeve PVC tube, yellow color, 3.2mm, 100 mtr/roll
210	Printable Sleeve Tube - 5.5mm (1Roll =100m)
211	Perforated tray, 450mm wide, 100mm Height, 2mm thick, 3M long
228	RMU Oil
229	Co2 Fire extinguisher,10KG
230	Ground Clearance Prohibitive Sign Board with Assembly
231	First Aid Box
232	Fire Extinguisher co2 cap. 5kg
233	4" Sign Board Pipe Black & White 365 Cmtr
234	Sign board Pipe
235	Count Down Marker Signboard
236	Count Down Marker Signboard
237	Countdown marker sign board-A
238	Countdown marker sign board-B
239	Countdown marker sign board-C
240	OHL material Coundown marker Sign board (A)
241	OHL material Coundown marker Sign board (B)
242	OHL material Coundown marker Sign board (C)
243	First Aid Box, 25 persons
244	Sign Board Marker Pipe - 3 Inch
245	Sign Board, 200x150mm
246	Safety Harness Belt with Shock Absorber
247	Sounder

248	2.5" Fire Hose
249	Safety Belt
250	15watt CFL Pin Type
251	26W CFL 2pin lamp
252	CZ1866/211S- LED2026WWB5B-17-KF-3*K02+D8738 Explosion-proof LED linear light fitting
253	CZ1220/052H-UK/3N *12/USLKG35N/X3-20.5mm/X1-k02/4036/ GRP explosion proof junction box
254	Exit Light Signage
255	Flourescent GRP Lighting Fixture type AVCE
256	Surface/ ceiling mounting accessories - D621/304
257	Tube Light 2' T8L 18W Coolday, Osram, Russia
258	Tube Light 5' T8L 58W Coolday, Osram, Russia
259	High intensity light LED 12 V
260	High intensity light LED 24 V
261	Revolving Light Assy 24 V LSV A 503002
262	Dream Glass, Spain
263	CZ0876/2xLED30W1-
264	Ex-Light Fitting, Make : Chalmit
265	180 W flood light, Cree LED, Philips driver, A3L 112 Lens, CCT : 4000, IP 66, Part: FL2F28060
266	180 W flood light, Cree LED, Philips driver, A3L 112 Lens, CCT : 4000, IP 66, Part: FL2F28060
267	5 Feet LED TUBE ROD 1500MM GE LIGHTING
268	2 Feet LED TUBE ROD 1200MM GE LIGHTING
269	600 x 600 x 1200mm Street Light foundation
270	Arc 2x8 watts slave luminaire (AR2x8/110/D)
271	Arc LED Non maintained 3 hours Hight Output+ Self Adhesive Legend L22
272	32W TC-TEL compact fluorescent surface mounted ceiling down light, IP-54 rating with colour body in Die cast
273	18w,Ceiling light
274	CZ0264/LED3W Exit light (CZ Explosion Proof, China)
275	CZ0878d/LED200W LED Explosion-proof floodlight (CZ Explosion Proof, China)
276	CZ0878d/LED200W LED Explosion-proof floodlight (CZ Explosion Proof, China)
277	Decorative ceiling mounted light, 20W, Make: Stylux, UK
278	14W, LED ,RECESSED SPOT LIGHT, FIXED , OPAL DIFFUSER, DIECAST ALUMINIUM BODY,COLOUR TEMP-4000K,
279	14W, LED ,RECESSED SPOT LIGHT, FIXED , OPAL DIFFUSER, DIECAST ALUMINIUM BODY,COLOUR TEMP-4000K,
280	9.5W LED Recessed Downlight, Model: DL1H7020, Make: Kingsun
281	1x18w Emergency light, Model: Eden, Make: Orbik
282	LED Exit Light, 8W Emergency Light With Logo (AR 8/NM3/E), Make :Orbik ,UK
283	LED Exit Light, 8W Emergency Light With Logo (AR 8/NM3/E), Make :Orbik ,UK
284	1x3W LED EXIT(WALL MOUNTED TYPE) MAINTAINED TYPE WITH DIRECTION SIGN LEGEND ,SELF CONTAINED \
285	150W LED Floodlight, Model: FL2F28050, Make: Kingsun
286	FL2F28040 120W LED Flood light IP66 (Kingsun Opto, China)
287	90W High bay light, A3L112 Lens, CCT: 4000K, Model: FL2F28030, Make: Kingsun, China
288	90W High bay light, A3L112 Lens, CCT: 4000K, Model: FL2F28030, Make: Kingsun, China
289	90W High bay light, A3L112 Lens, CCT: 4000K, Model: FL2F28030, Make: Kingsun, China
290	LED Panel light 600x600mm (Syhdee, China)
291	10W LED Mirror Light, 240V AC, IP44.Model : EH-713, Make :Lohious, Netherland
292	8W LED WALL LIGHTS, 4000K, 240V AC, IP20.Model : BT1D8072, Make :Kingsun, China
293	LED Explosion-Proof 60W,IP66,use for Zone 1,2 & Zone 21,22, Model: CZ0874/1B-LED60W-2-D8701/2, Make; (
294	6" LED Down light 4000K, 15W, Model: LG LD15X730P2C CE

295	LED Lighting - Down Light, D1330RW906C.ALWE009
296	1'x4' LED panel with mounting accessories, Make: Syhdee , China
297	2'x2' LED panel with mounted accessories, Make: Syhdee , China
298	LED Panel 600*600 Make:SYH
299	LED Panel 600*600 42W , 4000K , IP 20 , without With Surface Mounted accessories, Model ,SYH42W, Make Syh
300	LED WALL LIGHT 60W, 3700-4300K, 120-277V, IP65, MODEL: RL2W2802, MAKE; KINGSUN, CHINA
301	M0876/2xLED30W
302	2Feet Single LED Weather proof fixture 1200MM MARP118H LL 230 NL LED MARINER T8 SINGLE GE LIGHTING
303	LED Panel 300*1200 42W , Ingress protection IP20 Lamp color temperature 4000 K , Make : Syhdee , China. N
304	LED Panel 300*1200 42W , Ingress protection IP20 Lamp color temperature 4000 K , Make : Syhdee , China. N
305	42W LED Panel light Suspended 600X600, Model: PD7B4288, Make: Kingsun
306	Philips MASTER SON PIA PLUS-100W. HPS E40
307	Type, lamp RECESSED LED Mounting SQUARE TYPE Shape SHEET STEEL, Dimensions LG 600 x WD 600 mm, Terr
308	POWER SUPPLY PWM 120W - 24VDC
309	Recessed type fluorescent luminaire with 4 x 18 w lamp with diffuser IP-44
310	Recessed type down light with 2 x 26 w PL Lamp and diffuser IP-44
311	Recessed type fluorescent luminaire with 4 x 18 w lamp with diffuser with emergency pack IP-44
312	Recessed type fluorescent luminaire with 4 x 18 w lamp and double parabolic mirror louver with emergency pa
313	Recessed type down light with 2 x 26 w PL Lamp and diffuser with emergency pack IP-44
314	120W LED STREET LIGHTS, POLE MOUNTED, 4000K, 110-277V AC, IP66, Model: RL2R1056, Make:Kingsun, Chin
315	42W ,LED, 600x600mm , RECESSED TYPE WITH STEEL HOUSING , COLOUR TEMP-4000K, IP 40, Model:RS7G60
316	LED Spot light MR16 with White frame 8W, Model: LG M0850U35T5A KS
317	LED Step light, 2.4W, IP66
318	Surface mounted mirror light with 1 x 18 w triphosphor lamp
319	T5-X-LED-70W. 4950lm/840 + SUSPENSION SYSTEM
320	55Ah AGM battery for Solar application
321	Band -It type clip 3/4"
322	Band -It type clip 1/2" (100 nos Pkt)
323	Angle Steel L100x100x10 HU-645
324	Angle Steel L100x100x10 HU-645
325	ANGLE STEEL L80X80X8 HU-647
326	ANGLE STEEL L80X80X8 HU-647
327	ANGLE STEEL L80X80X8 HU-648
328	Angle steel L=80x80x8 (AS Pole)-HU NO-648
329	Angle steel L120x120x10-HU NO-649
330	ANGLE STEEL L80X80X8 HU-650
331	Angle steel L80x80x8 (Right)-HU NO-650
332	ANGLE STEEL L80X80X8 HU-651
333	Angle Steel L100x100x10 Hu-652
334	Angle steel L 100x100x10-HU NO-652
335	Angle Steel L100x100x10 HU-673
336	Angle Steel L=100x100x10-HU NO-673
337	ANGLE STEEL L80X80X8 HU-674
338	ANGLE STEEL L80X80X8 HU-674
339	Switch handil fixing chanel 770MM
340	Switch handil fixing chanel 700MM
341	Switch handil fixing chanel 600MM

342	ANGLE STEEL L80X80X8 HU-675
343	Angle steel L 80x80x8 (Right)-HU NO-646
344	Angle Steel L100x100x10 HU-676
345	Angle Steel L100x100x10 HU-676
346	Angle Steel L100x100x10 HU-676
347	Angle steel L=100x100x10(T pole)-HU NO-676
348	Angle Steel L 100X100X15 HU-658
349	Angle Steel L 100X100X15 HU-658
350	Angle steel L=100x100x15(F/S)-HU NO-658
351	Chanel HU NO 672
352	Angle Steel L120x120x10HU-653
353	Angle Steel L120x120x10HU-653
354	Chanel HU NO 653
355	Angle Steel L80x80x8 HU-677
356	Angle Steel L80x80x8 HU-677
357	Angle Steel L80x80x8 HU-678
358	Angle Steel L80x80x8 HU-679
359	Angle Steel L80x80x8 HU-679
360	Angle steel L=80x80x8 (T Pole cross Piece)-HU NO-679
361	Angel Steel 100X100X10 HU - 656
362	Angel Steel 100X100X10 HU - 656
363	Bolt ISO 4017-M20x70-8.8tZn HU-601
364	Bolt ISO 4017-M20x70-8.8tZn HU-601
365	GI bolt ,-HU NO-601
366	Bolt ISO 4017 M16x55-8.8tZn HU-602
367	Bolt ISO 4017 M16x55-8.8tZn HU-602
368	Bolt ISO 4017 M12X25-A4-70 HU-603
369	Bolt Iso 4017-M12x25-A4-70(220 Dia Pole cover Plate)-HU NO-603
370	Bolt ISO 4017 M20X360-8.8tzn HU-607
371	Bolt ISO 4017 M16x45-8.8tZn HU-608
372	SS 12x40 bolt Nut,-HU NO-610
373	SS 12x40 bolt -HU NO-610
374	GI 12x40 bolt -HU NO-610
375	Threaded Bolt EN 975 M20x500-A4-70 HU 614
376	Threaded Bolt EN 975 M20x500-A4-70 HU 614
377	Threaded Bolt EN Iso 975 M20x580-A4-70 HU 615
378	Threaded Bolt EN Iso 975 M20x580-A4-70 HU 615
379	Threaded Nut Din 975 M20x580-A4-70(Terminal Pole)-HU NO-615
380	Threaded Bolt SS Din 975 M20x580-A4-70(Terminal Pole)-HU NO-615
381	Threaded Bolt GI Din 975 M20x580-A4-70(Terminal Pole)-HU NO-615
382	Threaded Bolt DIN 975 M20 x 500-A4-70 HU-616
383	Threaded Bolt Din 975 M20x500-A4-70(Terminal Pole)-HU NO-616
384	Threaded Bolt DIN 975 M20X590-A4-70 HU-617
385	Threaded Bolt DIN 975 M20X590-A4-70 HU-617
386	Threaded Bolt DIN 975 M20X590-A4-70 HU-617
387	Threaded Bolt EN ISO 4017 M20x350-A4-70HU 619
388	Threaded Bolt EN ISO 4017-M20 x350 -0A4-70-HU NO-619

389	Threaded Bolt SS EN ISO 4017-M20 x350 -0A4-70-HU NO-619
390	SS Nut A4-35 20mm HU NO-633
391	Threaded Bolt DIN 975 M20 x 500-TZN
392	HU NO-657
393	Channel L = 70X70X6 HU-667
394	HU NO-667 - R
395	HU NO-668 - L
396	Angle Steel 70X70X6 - L1.17 mtr HU-668
397	HU NO-669
398	Channel U 100 HU-670
399	Channel U 100 HU-670
400	SS Nut A4-70 20mm HU NO-632
401	Hexagon Nut Iso 4035-M20-A4-035 HU-633
402	Hexagon Nut ISO 4032-M20-8-Tzn HU-634
403	Hexagon Nut ISO 4032-M20-8-Tzn HU-634
404	Hexagon Nut ISO 4035 -M20--580-HU NO-634
405	Hexagon Nut ISO 4035 -M20--580-HU NO-634
406	GI Nut,-HU NO-634
407	Hexagon Nut Iso 4035-M20-04-Tzn HU-635
408	Hexagon Nut ISO 4032-M16-8tzn HU-639
409	Hexagon Nut ISO 4032-M16-8tzn HU-639
410	Hexagon Nut ISO 4032-M16-8tzn HU-639
411	Hexagon Nut ISO 4032-M12-A4-70 HU-641
412	Hexagon Nut ISO 4035-M8-8-TZn HU-642
413	Plate Steel T=10mm HU-659
414	Round Steel 12mm Dia HU-680
415	Round Steel 12mm Dia HU-680
416	Round Steel 12mm Dia HU-680
417	Round Steel 12mm Dia HU-680
418	Plate Steel T=8mm HU-682
419	Plate steel T= 8mm(AS Pilot Plate)-HU NO-682
420	Plate Steel T=8mm Hu-683
421	Plate steel T=8mm (△ pilot Plate AS Pole)-HU NO-683
422	Plate Steel T=15mm HU-684
423	Plate Steel T=15mm HU-684
424	Plate Steel T=15mm (AS pole)-HU NO-684
425	Plate Steel T=12mm HU685
426	Plate steel T=12mm(AS pole)□-HU NO-685
427	Plate Steel T=8mm HU-686
428	Angle steel T= 8mm(AS pole)-HU NO-686
429	Plate Steel T=8mm HU-687
430	Plate Steel T=8mm HU-688
431	Plate Steel T=8mm HU-688
432	Plate steel T=8mm (△ pilot Plate)-HU NO-688
433	Plate Steel T=8mm HU-689
434	Angle steel t= 8mm-HU NO-689
435	Plate Steel T=8mm HU-690

436	Plate Steel T=8mm HU-691
437	Plate Steel T=8mm HU-691
438	Plate Steel T=8mm HU-692
439	Plate Steel T=8mm HU-692
440	Plate Steel T=8mm HU-692
441	Plate Steel T=8mm HU-692
442	Plate Steel T=8mm HU-692
443	Plate Steel T=15mm HU-693
444	Plate Steel T=15mm HU-693
445	Plate Steel T=12mm HU-694
446	Plate Steel T=12mm HU-694
447	Plate Steel T=8mm HU-695
448	Plate Steel T=8mm HU-695
449	Plate Steel T=12mm, HU-701
450	HU NO-701
451	Plate Steel T=8mm HU 702
452	HU NO-702
453	Plate steel 120x10(Guard pipe assembly)-HU NO-703 and 704
454	Plate Steel T=6mm HU-712
455	HU NO-712
456	Plate Steel T = 6mm HU-727
457	Plate steel t=6mm(Guard pipe assembly)-HU NO-727
458	Plate Steel T=15mm HU-714
459	Plate Steel T=15mm HU-714
460	Plate steel T=15mm(T pole)-HU NO-714
461	Plate Steel T=5mm HU-726
462	Plate Steel T=5mm HU-726
463	HU NO-726
464	Plate Steel T=15mm HU-713
465	Plate steel T=15mm(T pole)-HU NO-713
466	Washer Din EN ISO 7089-20-200HV-A4 HU-621
467	Washer Din Iso 7089-20-200hv-TZn HU 622
468	GI Washer A4-35 20mm HU NO-633
469	Washer Din EN Iso 7089-12-200HV-A4-HU NO-622
470	Washer Din EN Iso 7089-12-200HV-A4-HU NO-623
471	Washer DIN EN ISO 7093-12-A4 HU - 624
472	GI Nut,-HU NO-625
473	GI Washer -HU NO-625
474	M20 Square Curve HU-626
475	M20 Square Curve HU-626
476	M20 Square Curve HU-626
477	Spring Washer HU - 628
478	Spring Washer HU - 628
479	M20 Flat Washer HU - 629
480	1C x 630 Sleeve, 600/1000v
481	Switch handil fixing chanel 1000MM
482	GI 10x60 bolt

483	Copper Lug 240mm ² x 16mm
484	1000x300x300 Concrete foundation for countdown marker.
485	1000x500x500 Concrete foundation for gate.
486	132kV Angles and Accessories
487	2.5 Ring type lug
488	Vibration Damper
489	Copper Lug 240mm ² x 12mm
490	Copper Lug 240mm ² x 14mm
491	IL 12 Concretete pole
492	Identification Plate
493	Nut bolt 10x40
494	Copper Lug 95mm ² x 10mm
495	Post Insulator(Including Conductor clamp)-HU NO-78 (defect)
496	Phase Plate(R,Y,B)-HU NO-696
497	Copper Lug 50mm ² x 12mm
498	Copper Lug 10mm ² x 8mm
499	Spacer Damper
500	Surge arraster (defect)
501	Surge arrestor,100x100x10
502	Pole Band Link Asbly Old Stock
503	Bolt ISO 4017 M12X45-Tzn
504	Bolt ISO 4017 M16x40-TZn
505	Hexagon Nut ISO 4032-M12-Tzn
506	Straight Link (PLP)
507	Steel Plates - 810x120x10mm
508	Threaded Bolt EN Iso 975 M20x580-Tzn
509	20x300 Nut bot set
510	GI 20x300 Nut bot set
511	M20x360 GALV.BOLT (HU No: 91)
512	16x360 Bolt
513	16x380 Bolt
514	M20 GALV.NUT (HU No: 94)
515	Copper Lug 400mm ² x 12mm
516	Post Insulator - Grey
517	11kv Post Insulator (312-0008)
518	11kv Post Insulator (312-0008)
519	11KV SUSPENSION INSULATOR
520	Insulator, 33kv, Line Post 12.5KN GAP TYCO
521	Insulator, 33kv, Line Post 12.5KN GAP TYCO
522	Tension Insulator 33kv
523	Insulator, 33kv, Tension 80 KN TYCO
524	Threaded Bolt EN Iso 975 M20x700-A4-70 HU 615
525	Threaded nut & Bolt Din 975 M20x580-A4-70(Terminal Pole)-HU NO-615
526	Aluminium Dead End - PLP
527	Ball Clevis PLP
528	16mm Ball Socket Tail
529	Earth Rod Copper 15mm Dia,Length-200mm-RC010 (Cut Pice)

530	Earth Rod Copper 15mm Dia,Length-100mm-RC010 (Cut Pice)
531	ChannelU180, HU No. 771
532	ChannelU180, HU No. 772
533	ChannelU180, HU No. 773
534	Channel L100x100x10, HU No. 774
535	Channel L100x100x10, HU No. 775
536	Distance Plate100x6 S 355 JO,(370Dia Pole cover Plate)-HU NO-719
537	Distance Plate 100x6 S 355 JO(340 dia Cover Plate)-HU NO-723
538	OPGW Tension Set
539	Pilot Plate - 680mm
540	Pilot Plate - 900mm
541	Pilot Plate - 550mm
542	Tension Insulator, 220KV, 320KN
543	Angle Steel 70x70x6mm - L1.4 mtr HU No. 627
544	120/120 mm C- Clamp
545	Distance Plate, 6mm, HU No:717
546	Cover Plate-HU NO-717
547	Tow way clamp
548	70/70 mm ² branch connector
549	Ball Clevis-HU NO-60
550	Ball Ended Eye Link-HU NO-53
551	BI-Metal Connector-HU NO-25 (Qty 37+55)
552	Coupling Screws
553	Coupling Screw For Item 2(For Earthing system)-HU NO-47
554	Hardened Steel Driving Cap(for earthing System)-HU NO-49
555	Steel Driving Cap(For earthing System)-HU NO-48
556	Dead End-HU NO-58
557	Danger Plate-HU NO-662
558	Distance Plate100x6 S 355 JO,(310Dia Pole cover Plate)-HU NO-715
559	Distribution Tie-HU NO-56
560	Guard Wire7/4 mm GI(Guard Pipe assembly)-HU NO-37a
561	Number Plate-HU NO-738
562	Reflector Plate-HU NO-779
563	Shackle (Dee)-HU NO-52
564	Straight Link-HU NO-61
565	Verner Plate-HU NO-62
566	HU NO-30
567	Tap connector(PG Clamp)-HU NO-26
568	VT top connector
569	Twisted Clevis-HU NO-59
570	Angle Steel HU-627
571	HU-627L - L75X75X6
572	HU-627L - L75X75X6
573	HU-627L - L75X75X6
574	HU-627R - L75X75X6
575	HU-627R - L75X75X6
576	HU-668L - L75X75X6

577	HU-668R - L75X75X6
578	HU-668R - L75X75X6
579	HU-668R - L75X75X6
580	HU-668R - L75X75X6
581	Plate Steel, 120x8mm HU-820
582	Plate Steel, 120x8mm HU-820
583	Ball End Eye Link PLP
584	Crimpfit 70/70
585	Coupling Screw for 15mm Dia Earth Rod
586	Steel Driving Cap for Copper Earth Rod
587	Dead End Guy Grip 7/4mm
588	Dead End Compression
589	Dead End Guy Grip Old Stock
590	Dead End Guy Grip Heligrip Galv Steel - PLP
591	Bow Shackle-PLP
592	Gurad Pipe Assembly Without Guard Pipe
593	Socket Tail - Old
594	Pole Number Plate with Inscription
595	PG CLAMPS - 3 BOLTED TYPE, AL-AL, 35-240
596	Phase Plate RYB
597	Reflector Plate
598	Saddle HU - 737
599	Stringing Clamp GTACSR
600	Shackle -80kN
601	Stay Wire 7/4 Mm
602	Turn Buckel Eye/Eye Old Stock
603	Turn Buckle for Stay Wire
604	Twisted Clevis/Clevis -80kN
605	Tee Connector Old Stock
606	Thimble Suitable for 7/4mm Stay Wire
607	Thumble(Guard Pipe assembly)-HU NO-38
608	Thimble U-Type PLP
609	Twisted Clevis Old Stock
610	Twisted Clevis- PLP
611	Sag Link Vernier Plate - 80 KN Old Stock
612	P.G Clamp, 2 Bolt Al-Cu, 35-240 Sqmm
613	P.G Clamp, 2 Bolt Al-Cu, 35-240 Sqmm
614	Boots shoes Size39
615	Boots shoes Size40
616	4ft Platform (Manufacturer - Hubbel Power System)
617	Pivot for 4ft Platform (Manufacturer - Hubbel Power System)
618	Railing for 4ft Platform (Manufacturer - Hubbel Power System)
619	SO236.2 Water proof tension clamp (Pcs)AMOKRAFT AB
620	L-Angle Support
621	Base Support 50x50x6
622	Base Support 100x50x6
623	Handilever arm Support - 41x41mm Single Unistruct channel for 600mm Ladder Tray

624	Cantilever arm Support - 41x41mm Single Unistruct channel for 450mm Perforated Tray
625	Cantilever arm Support - 41x41mm Double unistruct channel for 900mm Ladder Tray
626	Handilever arm Support - 41x41mm Double instruct channel for 300mm Perforated Tray
627	Isolator 63A
628	Cable Lug M10 x 10 Mm
629	Ex-junction Box - Different type
630	Cable Marker Ferrul - Different type
631	Isolator - Different type
632	10 mm Tapping Bit
633	12 mm Tapping Bit
634	Blue Tie 150 mm
635	Bootlace Lug 0.75mm
636	Copex Conduit Flexible
637	Emergency Light
638	Exaust Fan
639	Female Socket 200/250V
640	Florescent light 220/254V 2ft
641	Green Tie 150 mm
642	Industrial Type Male-Female Socket
643	Industrial Type Socket
644	light fitting (Flood Light)
645	Lighting Switch
646	Lock nut PVC M16
647	Lock Nut PVC M40
648	Locknut
649	Locknut M16
650	Tapping Bit
651	Male Socket 240/415
652	OSRAM make Bulb
653	PHOTO CELL
654	Pin Type 1.5 Sq.mm
655	Pressure Switch
656	Push Button Switch (Only Push Button)
657	PVC Blanking Element
658	PVC Lock Nut
659	Red Tie 200mm
660	Reset Switch
661	Siren Light
662	Smoke Detector
663	SOLANOID VALVE
664	Support Installation Clamp
665	Yellow Green Sleeve
666	Yellow Tie 150 mm
668	GI spring Washer
669	copper Wahser
670	Clamp
671	PMR control cable

672	55mm Poly coupling
673	600 x 600 steel panel
674	6x 35 nut Bolt washer
675	AIR REGULATOR
676	Appliton Clamp
677	Blanking Element With Locknut
678	Differential Pressure Transmitter
679	Fire Extinuisher Dry Chemical
680	Flate Type Lugg 6 X 10 Sq.mm
681	Level Transmitter Float Type
682	Valve Positioner
683	GI pole for Project board 6m
684	Strain Insulator-HU NO-63 (defect)
685	Men at work Sign board (Danger)
686	Men at work Sign board
687	Men at work Sign board (Go slow down)
688	Street light Twin / Double Lantern Projection Arm / Bracket
689	Earth hole Drilling rod (OID)
690	Aerial Roller Three Sheaves 132 KV
691	Cover Plate-HU NO-721
692	Dead End Guy Grip(Guard Pipe assembly)-HU NO-40
693	Pole clamp
694	Bimetalic lug 60 sq.mm
695	Bimetalic lug 60 sq.mm
696	GI 12 mm spring Washer
697	Pressure Switch, Make:Ettore Cella SPA
698	5 x 8 Tapping Bit
699	Break Glass Unit
700	Change Over Switch Pannel
701	Earth Tag
702	Exhaust Fan Flapper
703	Flood Light
704	Florescent light 110/254 4ft
705	I P Washer
706	IP Washer
707	Limit Switch
708	Male Plug
709	PVC Gland
710	Ring Type Lugs 06 x 08 mm
711	Safety Switch
712	Shrinkble Sleeve 2" Black
713	Spiral Wrapping Band
714	Unistraight Side Cove
715	16x650 Bolt

perature, lamp color 3000 K (WARM WHITE) With required fixing mounting accessories LTG FIXTURE, RECESSED, IP20, 240V, 5

4W, Type LIGHTING FIXTURE, Model:SYH-PL6654